



1. Identification of substance:

Trade name: Background-colour white (BS 5044, class A)

Article number: DPM

Manufacturer/Supplier

Helmut Klumpf

Technische Chemie KG

Industriestr. 15

D - 45699 Herten Phone.: (02366) 1003 - 0 Fax: (02366) 1003 - 11 e-mail: klumpf@diffu-therm.de

Advice:

Helmut Klumpf, Techn. Chemie KG, H. Klumpf

Emergency advice:

As stated above or next emergency phone

2. Hazards identification

Hazards designation:

Xi Irritating

F Highly flammable

Information pertaining to particular dangers for man and environment:

R 11 Highly flammable

R 36 Irritating to eyes.

R 66 Repeated exposure may cause skin dryness or cracking.

R 67 Vapours may cause drowsiness and dizziness.

3. Composition/information on ingredients

Chemical characterization (preparation):

Description: Suspension with inorganic white pigments and a synthetic resins.

Hazardous ingredients:

CAS-No.	Name of chemical	EINECS-number	EWG-no.	weight %	Symbols	R-phrases
67-64-1	acetone	200-662-2	606-001-00-8	50 - 100	Xi, F	11, 36, 33, 67
78-93-3	2-butanone	201-159-0	606-002-00-3	< 10	Xi, F	11, 36/37

4. First aid measures

General information:

After inhalation:

Ensure supply of fresh air. In the event of symptoms refer for medical treatment.

After skin contact:

In case of contact with skin wash off with water. Change soaked clothing.

After eye contact:

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

After swallowing

Rinse out mouth and give plenty of water to drink with activated charcoal.

Do not induce vomiting; instantly call for medical help. Instantly call for doctor

5. Fire-fighting measures

Suitable extinguishing material:

ABC powder, alcohol-resistant foam, carbon dioxide.

Extinguishing material that must not be used for safety reasons:

Full water jet.

Special exposure hazards extinguishing from the substance or preparation itself, combustible products or resulting gases:

None



Special protective equipment for fire-fighters:

None

Additional information's:

Cool containers at risk with water spray jet.

6. Accidental release measures

Personal precautions:

Ensure adequate ventilation. Keep away sources of ignition.

Environmental precautions:

Do not discharge into the subsoil/soil.

Do not discharge into the drains/surface waters/groundwater.

Dilute with plenty of water.

Methods for cleaning up/taking up:

Take up with absorbent material

(e.g. sand, sawdust, kieselguhr, general-purpose binder).

7. Handling and storage

Handling:

Advice on safe handling:

Provide good room ventilation even at ground level (vapours are heavier than air).

Advice on protection against fire and explosion:

Keep away from sources of ignition.

Do not smoke.

Take precautionary measures against static discharges.

Storage:

Requirements for storage rooms and vessels:

Keep container in a well-ventilated place.

Advice on storage compatibility:

Do not store together with oxidizing agents.

Further information on storage conditions:

Keep container tightly closed.

Keep container in a well-ventilated place.

German storage group:

VbF-Class: B

Further information on storage conditions:

Keep container in a well-ventilated place.

8. Exposure controls/personal protection

Additional information about of technical systems:

No other information's, see point 7.

Ingredients with occupational exposure limits to be monitored:

CAS - NR.	Name of chemical	%	Code	Value	Unit	peak limited category
67-64-1	Acetone	50 - 100	MAK	500 (1200)	ml/m ³ (mg/m ³)	II, 2
			BAT	40 mg/l		
78-93-3	2-Butanone	< 10	MAK	200 (600)	ml/m ³ (mg/m ³)	II, 1
			BAT	5 mg/l		

Additional information's: None

Personal protection equipment:

Respiratory protection:

Short term: filter apparatus, combination filter A - P 1.

If ventilation insufficient, wear respiratory protection apparatus.



Hand protection:

Gloves (solvent-resistant)

Eye protection:

Tightly fitting goggles

General protective measures:

Avoid contact with eyes. Avoid prolonged and/or repeated contact with skin.

Hygiene measures:

At work do not eat, drink, smoke, or take drugs.

Remove soiled or soaked clothing immediately.

Cloths contaminated with product should not be kept in trouser pockets.

9. Physical and chemical properties

General Information

Form: Liquid Colour: white Smell: aromatic

Data relevant for safety:

Boiling temperature: 56 °C (DIN 53 171)

Flash point: - 18 °C (DIN 51 758)

Ignition temperature: > 350 °C (DIN 51 794)

Explosive properties: The Product is not explosive, but
may form flammable/explosive vapour-air mixture.

Explosion limits Lower e.l.: 2 Vol.%

Upper e.l.: 12 Vol.%

Vapour pressure (20°C): 24 mbar

Density (20°C): 0,9 g/cm³ (DIN 51 757)

Solubility in water (20°C): soluble (Solvent)

10. Stability and reactivity

Conditions to avoid:

No decomposition if used correctly. No reactions by normal use.

No hazardous reactions known.

Materials to avoid:

Hazardous decomposition products:

No hazardous decomposition products known.

11. Toxicological information

Toxicity test:

Acute Toxicity LD/LC₅₀-values relevant to classification):

Irritability/Corrosiveness:

Skin: Irritates the skin and the mucous membrane

Eye: Irritant

Sensitization:

No sensitization known.

12. Ecological information

Data on elimination (persistence and degradability):

The product is readily biodegradable.

Danger class for water (WKG 1 German only) = slightly dangerous for water.

The pigments are not slightly water-soluble inorganic products.

Behaviour in environment compartments:

The solvent is water-soluble,

but the pigments are not slightly water-soluble.



Ecotoxicological effects:

No data are available.

General information's:

Do not discharge product unmonitored into the environment.

13. Disposal considerations

Product:

Recommendations:

Hand over to authorized disposal agency.

Waste code No.:

EAV: 14 06 03 term: Mixture of solvent

Contaminated packaging:

Recommendations:

Container must be completely emptied and must not be opened by force.

Hand over to authorized disposal agency.

Waste code No.:

EAV: 15 01 02 term: Plastic jerry cans

14. Transport information

Land transport ADR

Class: 3 UN-Nr.: 1224 Package Group: II
Identification: KETONE, FLÜSSIG, N.A.G. (Acetone/Ethyl methyl
Classifications code: F 1 shipment category: 2 Label-no.: 3
Packing instruction: P 001, MP 19 limited of volume: LQ 4

Marine transport IMDG/GGVSee

UN-Nr.: 1224 Classe: 3.2 Package Group: II
EMS-Nr.: F-E, S-D Label-no.: 3 Marine Pollutant: -- Label: --
Proper Shipping Name: Ketones, liquid, n.o.s.
Remark: It contains Acetone/Ethyl methyl

Air transport ICAO-TI and IATA-DGR

Class/Division: 3 UN/ID-Nr.: 1224
Package Group: II, Label-no.: 3
Packing inst. Passenger aircraft: 305/Y305 Max. netto/Package: 5 L / 1L
Packing inst. Cargo aircraft: 307 Max. netto/Package: 60 L
Proper Shipping Name: Ketones, liquid, n.o.s.
Remark: It contains Acetone/Ethyl methyl

15. Regulatory information

Designation according to EC guidelines:

The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV).

Code letter and hazard designation for product:

Xi Irritating
F Highly flammable

Risk phrases:

11 Highly flammable
36 Irritating to eyes.
66 Repeated exposure may cause skin dryness or cracking.
67 Vapours may cause drowsiness and dizziness.



Safety phrases:

- 9 Keep container in a well-ventilated place.
- 16 Keep away from sources of ignition - No smoking.
- 23 Do not breathe vapour/spray.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 33 Take precautionary measures against static discharges.
- 51 Use only in well ventilated areas.

TA-Luft/classification, compound, remarks: Class 3 (organic)

Water hazard class: WGK 1 (slightly dangerous for water)

16. Other information

Recommended uses:

As **BACKGROUND-COLOUR** at the Magnetic particle inspection by acc. to
EN ISO 9934-1 (DIN 54 132) and BS 4069/BS 5044 class B for finding surface cracks.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.
